



Vývoj hladiny PV a kontaminace vrtu HJ-2A ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	2.40	0.60	0.45	0.07	0.26	0.58	0.64	0.20	0.26
▲ benzen (µg/l)	9.70	4.40	3.30	<0.10	<0.10	<0.10	2.20	<0.10	<0.10
◆ ethylbenzen (µg/l)	407.00	5.90	154.00	<0.10	<0.10	<0.10	1.50	<0.10	<0.10
* m+p xyleny (µg/l)	282.00	5.10	2.10	<0.10	<0.10	0.65	0.30	0.10	<0.10
● naftalen (µg/l)	6.30	3.90	2.40	0.03	0.08	3.90	0.50	0.07	0.05
+ PAU celkem (µg/l)	16.00	8.90	8.60	0.08	2.80	4.40	2.50	0.75	0.07
▲ HPV (mpt)	13.8	14.21	14.32	14.31	14.04	13.05	12.41	12.89	13.27
◆ chloridy (mg/l)	184.00	187.00	220.00	135.00	228.00	390.00	674.00	418.00	631.00

Vývoj hladiny PV a kontaminace vrtu HVC-1 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
▲ benzen (µg/l)	0.23	<0.10	0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
◆ ethylbenzen (µg/l)	3.80	<0.10	1.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
* m+p xyleny (µg/l)	2.60	<0.10	0.14	0.10	<0.10	<0.10	<0.10	<0.10	<0.10
● naftalen (µg/l)	0.05	0.01	0.04	0.07	0.01	0.01	0.08	0.05	0.05
+ PAU celkem (µg/l)	0.22	0.02	0.09	0.07	0.15	0.02	0.03	0.03	0.09
▲ HPV (mpt)	26.8	26.57	26.85	27.18	27.34	27.15	26.83	26.61	26.49
◆ chloridy (mg/l)	119.00	145.00	163.00	123.00	255.00	287.00	258.00	134.00	333.00

Vývoj hladiny PV a kontaminace vrtu HVC-10 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	<0.05	<0.05	<0.05	<0.10	<0.05	<0.05	<0.05	<0.05	<0.05
▲ benzen (µg/l)	0.27	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
◆ ethylbenzen (µg/l)	1.60	<0.10	1.80	<0.10	<0.10	<0.10	0.10	<0.10	<0.10
* m+p xyleny (µg/l)	1.10	<0.10	0.24	<0.10	<0.10	0.14	<0.10	0.14	<0.10
● naftalen (µg/l)	0.05	0.01	0.03	0.05	0.02	0.04	0.09	0.15	0.07
+ PAU celkem (µg/l)	0.06	0.04	0.06	0.01	0.13	0.04	0.05	0.08	0.20
▲ HPV (mpt)	27.24	27.51	27.65	27.89	28.04	27.76	27.57	27.36	27.36
◆ chloridy (mg/l)	27.70	33.30	20.60	22.00	27.70	22.00	28.40	24.00	26.90

Vývoj hladiny PV a kontaminace vrtu HVC-11 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	<0.05	<0.05	<0.05	0.06	<0.05	<0.05	<0.05	<0.05	<0.05
▲ benzen (µg/l)	0.12	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
◆ ethylbenzen (µg/l)	2.80	<0.10	1.20	<0.10	0.27	<0.10	0.37	<0.10	<0.10
✱ m+p xyleny (µg/l)	1.90	<0.10	0.18	<0.10	<0.10	<0.10	<0.10	0.12	<0.10
● naftalen (µg/l)	0.04	0.01	0.04	0.05	0.03	0.02	0.12	0.07	0.08
+ PAU celkem (µg/l)	0.06	0.10	0.12	0.14	0.08	0.09	0.18	0.12	0.05
▲ HPV (mpt)	28.12	28.41	28.52	28.73	28.88	28.77	28.54	28.32	28.21
◆ chloridy (mg/l)	411.00	550.00	562.00	525.00	511.00	433.00	326.00	277.00	123.00

Vývoj hladiny PV a kontaminace vrtu HVT-10 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	4.90	2.40	2.20	1.40	2.40	3.40	0.30	2.00	0.78
▲ benzen (µg/l)	71.00	48.00	72.00	24.00	50.00	1.80	7.00	87.00	66.00
◆ ethylbenzen (µg/l)	556.00	0.25	153.00	12.00	4.20	2.00	0.74	<0.10	24.00
* m+p xyleny (µg/l)	392.00	0.25	4.00	1.90	3.50	3.50	0.74	5.90	2.90
● naftalen (µg/l)	0.88	1.10	0.97	0.36	8.60	6.40	0.23	0.93	0.75
+ PAU celkem (µg/l)	25.00	30.00	28.00	12.00	17.00	21.00	2.70	33.00	46.00
▲ HPV (mpt)	13.94	14.36	14.49	14.54	14.31	13.42	12.9	13.47	13.85
◆ chloridy (mg/l)	143.00	113.00	105.00	113.00	124.00	163.00	157.00	81.50	90.80

Vývoj hladiny PV a kontaminace vrtu HVT-11 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	<0.05	<0.05	<0.05	0.07	<0.05	0.05	<0.05	<0.05	<0.05
▲ benzen (µg/l)	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
◆ ethylbenzen (µg/l)	<0.10	<0.10	0.45	0.90	2.70	0.92	2.10	<0.10	<0.10
* m+p xyleny (µg/l)	0.52	<0.10	0.49	0.13	2.10	<0.10	<0.10	<0.10	<0.10
● naftalen (µg/l)	0.02	0.03	0.02	0.02	0.11	0.22	0.81	0.07	0.18
+ PAU celkem (µg/l)	0.02	0.04	0.01	0.06	0.03	0.22	0.03	0.02	0.04
▲ HPV (mpt)	13.97	14.74	15.08	15.31	15.16	13.48	12.55	13.12	13.47
◆ chloridy (mg/l)	24.80	36.20	41.10	62.40	104.00	43.30	42.50	19.90	14.90

Vývoj hladiny PV a kontaminace vrtu HVT-4 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	3.10	1.40	1.10	1.90	1.00	2.80	3.30	0.19	0.37
▲ benzen (µg/l)	97.00	16.00	21.00	1.90	8.90	0.68	69.00	32.00	120.00
◆ ethylbenzen (µg/l)	511.00	0.25	1000.00	87.00	517.00	3.40	1100.00	39.00	5.60
* m+p xyleny (µg/l)	364.00	0.25	3.40	<0.10	0.89	3.10	12.00	4.20	8.40
● naftalen (µg/l)	3.90	2.40	4.50	6.90	3.20	4.40	8.60	0.96	0.51
+ PAU celkem (µg/l)	16.00	22.00	16.00	15.00	6.40	11.00	12.00	2.50	12.00
▲ HPV (mpt)	12.89	13.36	13.49	13.55	13.31	12.14	11.47	12.06	12.51
◆ chloridy (mg/l)	85.80	83.70	77.30	85.10	142.00	135.00	96.40	41.80	56.70

Vývoj hladiny PV a kontaminace vrtu Studna č.p.138 ve sledovaném období




	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
NEL (mg/l)	<0.05	<0.05	<0.05	<0.10	<0.05	<0.05	<0.05	<0.05	<0.05
benzen (µg/l)	<0.10	<0.10	0.12	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
ethylbenzen (µg/l)	<0.10	0.82	0.24	<0.10	<0.10	<0.10	0.55	<0.10	<0.10
m+p xylene (µg/l)	<0.10	<0.10	0.78	<0.10	0.12	<0.10	<0.10	<0.10	<0.10
naftalen (µg/l)	0.02	0.02	0.02	0.01	0.03	0.06	0.13	0.08	0.06
PAU celkem (µg/l)	0.06	0.04	0.02	0.01	0.02	0.03	0.03	0.02	0.01
HPV (mpt)		1.85	1.87	1.91	1.98	1.97	2.05	2.05	2.04
chloridy (mg/l)	92.90	73.00	64.50	68.80	78.70	74.50	59.60	53.20	69.50

Vývoj hladiny PV a kontaminace vrtu Studna č.p.170 ve sledovaném období



	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	<0.05	<0.05	<0.05	<0.10	<0.05	<0.05	<0.05	<0.05	<0.05
▲ benzen (µg/l)	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
◆ ethylbenzen (µg/l)	<0.10	0.58	0.24	0.11	<0.10	<0.10	<0.10	<0.10	<0.10
* m+p xyleny (µg/l)	0.24	0.14	0.45	<0.10	<0.10	<0.10	<0.10	0.10	<0.10
● naftalen (µg/l)	0.03	0.02	0.02	0.03	0.03	0.03	0.19	0.06	0.06
+ PAU celkem (µg/l)	0.01	0.06	0.05	0.01	0.07	4.00	0.09	0.04	0.03
▲ HPV (mpt)		3.8	3.71	3.68	3.75	3.7	3.71	3.75	3.83
◆ chloridy (mg/l)	138.00	122.00	99.30	99.30	97.10	96.40	82.30	68.80	82.90

Vývoj hladiny PV a kontaminace vrtu Studna č.p.36 ve sledovaném období



	16.12.2011	20.3.2012	12.6.2012	17.9.2012	5.12.2012	18.3.2013	9.7.2013	24.9.2013	5.12.2013
■ NEL (mg/l)	0.05	<0.05	<0.05	<0.10	<0.05	<0.05	<0.05	<0.05	<0.05
▲ benzen (µg/l)	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
◆ ethylbenzen (µg/l)	<0.10	<0.10	0.13	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
* m+p xyleny (µg/l)	0.13	<0.10	0.48	<0.10	<0.10	0.10	<0.10	<0.10	<0.10
● naftalen (µg/l)	0.23	0.03	0.03	0.04	0.02	0.01	0.04	0.07	0.06
+ PAU celkem (µg/l)	0.14	0.07	0.03	0.01	0.01	0.03	0.03	0.03	0.02
▲ HPV (mpt)		3.2	3.14	3.96	3.62	3.51	3.13	3.6	3.54
◆ chloridy (mg/l)	608.00	642.00	571.00	645.00	631.00	589.00	723.00	539.00	514.00